

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Nobuyuki NISHIWAKI

Application No.: New U.S. Patent Application

Filed: February 25, 2004

Docket No.: 118852

For: THERMOSTAT ABNORMAL STATE DETECTING APPARATUS

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

Pursuant to 37 CFR §1.56, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached PTO-1449. Unless otherwise indicated herein, one copy of each reference is attached. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

- ☒ 1. This Information Disclosure Statement is being filed (a) within three months of the U.S. filing date of this non-CPA application, OR (b) before the mailing date of a first Office Action on the merits in the present application. No certification or fee is required.
- ☒ 2. Relevance of the non-English language references 1 and 2 is discussed in the present specification.
- ☒ 3. English-language Abstracts of the non-English language references 1 and 2 are attached hereto.

- ☒ 4. A computer-generated English translation of the following Japanese Patent Publications have been obtained from the website of the Japanese Patent Office ([<http://www.jpo.go.jp>]), and are attached, but have not been reviewed for accuracy. See References 1 and 2.

Respectfully submitted,



James A. Oliff
Registration No. 27,075

Thomas J. Pardini
Registration No. 30,411

JAO:TJP/emt

Date: February 25, 2004

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400

**DEPOSIT ACCOUNT USE
AUTHORIZATION**

Please grant any extension
necessary for entry;
Charge any fee due to our
Deposit Account No. 15-0461

